


ROTTERDAM/Rotterdam
AERODROME CHART



TWR 118.205 Rotterdam Tower
119.705
122.180 Rotterdam Delivery
ATIS 128.565 Rotterdam Info

AD ELEV -14

LOC
ROS 109.100


ROTTERDAM / RSV
(110.900) / CH46X
515740.3N 0042652.2E
0

ROTTERDAM / ROS
(109.100) / CH28X
515719.9N 0042601.1E
0

DIRECTIONS ARE MAGNETIC
ELEVATIONS IN FEET AMSL
DIMENSIONS IN METRES

LEGEND

- ATC service BDRY
- BLAST FENCE
- Ⓚ INTERMEDIATE HLDG PSN UNLIGHTED
- Ⓜ MAX WING SPAN
- ⊘ NO-ENTRY: RWY entry prohibited at this point
- X NOT IN USE
- ∞ RWY GUARD LIGHTS
- ▨ RWY HLDG PSN PATTERN A
- ▨ SOLAR FARM
- ***** STOP BAR



PHYSICAL CHARACTERISTICS				
RWY	DIRECTION	BEARING STRENGTH	SURFACE	THR COORDINATES
06	055°	PCN 70/F/D/W/T	ASPH	515711N 0042550E
24	235°	PCN 70/F/D/W/T	ASPH	515743N 0042710E

CAUTION:

1. Follow-me service is mandatory for aircraft with wingspan > 36 M, for details see AD 2.20.
2. Simultaneous use of TWY N and TWY Y is not allowed for aircraft with wingspan > 36 M.
3. Between TWY V1 and TWY V3 aircraft with wingspan > 36 M must strictly adhere to follow-me instructions to stay clear of obstacles.
4. Runway entry via TWY V3 not allowed.
5. TWYs V2, V3, V4 and V5 MAX wingspan 36 M (limited outer main gear wheel span up to but not including 9 M).
6. TWY V4 not available between SS and SR.