

GEN 3.2 AERONAUTICAL CHARTS

1 RESPONSIBLE SERVICES

All the aeronautical charts are published under authority of the Aeronautical Information Services.

These charts are produced in accordance with specifications set down in ICAO Annex 4 and other pertinent ICAO Documents.

2 MAINTENANCE OF CHARTS

Revision of the aeronautical information on all charts is constantly in progress and amended reprints are published as regularly as production resources permit.

Topographical and hydrographical information portrayed is also revised when necessary.

3 PURCHASE ARRANGEMENTS

All charts are incorporated in the AIP Netherlands, except for the Aeronautical chart the Netherlands - ICAO 1:500 000; this chart is obtainable from:

Post: Koninklijke Nederlandse Vereniging voor Luchtvaart (KNVvL)
Houttuinlaan 16A
3447 GM Woerden
The Netherlands
Tel: +31 (0)348 437 060
URL: <https://webshop.knvvl.nl>
Email: ledenservice@KNVvL.nl

4 AERONAUTICAL CHART SERIES AVAILABLE

4.1 The following series of aeronautical charts are produced:

- a. Aerodrome/heliport chart (ADC).
- b. Aerodrome ground movement chart (GMC).
- c. Aerodrome obstacle chart type A (AOC).
- d. Aircraft parking/docking chart (APDC).
- e. Area chart (AREA).
- f. ATC surveillance minimum altitude chart (SMAC).
- g. Instrument approach chart (IAC).
- h. Precision approach terrain chart (PATC).
- i. Standard arrival chart - instrument (STAR).
- j. Standard departure chart - instrument (SID).
- k. Visual approach chart (VAC).
- l. En-route chart (ENR).
- m. Aeronautical chart - ICAO 1:500 000.

4.2 General description of each series

a. *Aerodrome/heliport chart*

This chart contains detailed aerodrome data to provide flight crews with information that will facilitate the ground movement of aircraft:

- from the aircraft stand to the runway; and
- from the runway to the aircraft stand;

and helicopter movement:

- from the helicopter stand to the touchdown and lift-off area and to the final approach and take-off area;
- from the final approach and take-off area to the touchdown and lift-off area and to the helicopter stand;
- along helicopter ground and air taxiways; and
- along air transit routes.

It also provides essential operational information at the aerodrome/heliport.

b. *Aerodrome ground movement chart*

This chart is produced for aerodromes where, due to congestion of information, details necessary for the ground movement of aircraft along the taxiways to and from the aircraft stands and for parking/docking of aircraft cannot be shown with sufficient clarity on the aerodrome chart.

c. *Aerodrome obstacle chart type A*

This chart contains detailed information on obstacles in the take-off flight path areas of aerodromes, and shown in plan and profile view.

d. *Aircraft parking/docking chart*

This chart is produced for aerodromes where, due to the complexity of the terminal facilities, the information to facilitate the ground movement of aircraft between the taxiways and the aircraft stands and the parking/docking of aircraft cannot be shown with sufficient clarity on the aerodrome chart or on the aerodrome ground movement chart.

e. *Area chart*

This chart provides flight crew with information to facilitate the following phases of instrument flight:

- the transition between the en-route phase and approach to an aerodrome;
- the transition between take-off/missed approach and en-route phase of flight; and
- flights through areas of complex ATS routes or airspace structure.

f. *ATC surveillance minimum altitude chart*

This chart provides information that will enable flight crews to monitor and cross-check altitudes assigned by a controller using an ATS surveillance system.

g. *Instrument approach chart*

This type of chart is produced for each instrument approach procedure, and includes information on radio communication facilities and navigation aids, minimum sector altitude, procedure track in plan and profile view etc. The charts provide the flight crew with information that will enable them to perform an approved instrument approach procedure to the runway of intended landing including the missed approach procedure and associated holding patterns.

h. *Precision approach terrain chart*

This chart is produced for all precision approach CAT II and III runways. It provides detailed terrain profile information, in plan and profile view, within a defined portion of the final approach so as to enable aircraft operating agencies to assess the effect of the terrain on decision height determination by the use of radio altimeters.

i. *Standard arrival chart - instrument (STAR)*

This type of chart provides the flight crew with information that will enable them to comply with the designated standard arrival route - instrument from the en-route phase to the approach phase.

j. *Standard departure chart - instrument (SID)*

This type of chart provides the flight crew with information that will enable them to comply with the designated standard departure route - instrument from the take-off phase to the en-route phase. A general view of the SIDs established per aerodrome is produced as a supplement to the standard departure chart - instrument.

k. *Visual approach chart*

This type of chart is produced for those aerodromes used by civil aviation where:

- only limited navigation facilities are available; or
- radio communication facilities are not available; or
- visual approach procedures have been established

The chart provides information on obstacles, circuit areas, visual approach procedures, radio navigation aids and communication facilities, as well as detailed topographical information.

l. *En-route charts*

This type of chart is produced for the entire Amsterdam FIR. The aeronautical data include the air traffic services system. The charts provide the flight crew with information that will facilitate navigation along ATS routes in compliance with air traffic services procedures.

m. *Aeronautical chart - ICAO 1:500 000*

This chart is constructed on Lambert Conformal Conic projection with two standard parallels on 493320N and 530640N according to the world geodetic system WGS 84. The intention of the chart is to provide topography and aeronautical data to satisfy the requirements of visual air navigation for low speed, short or medium range operations at low and intermediate altitudes.

Note: special charts, not included in the listing above, are produced to clarify some subjects (e.g. altimeter setting regions, low flying routes/areas, bird sanctuaries, etc.). Bird concentrations are included on charts where relevant.

5 LIST OF AERONAUTICAL CHARTS AVAILABLE

5.1 Aeronautical charts contained in the AIP

5.1.1 Aerodrome/heliport chart

See section AD 2.24 or AD 3.23 of relevant aerodromes/heliports.

5.1.2 Aerodrome ground movement chart

See section AD 2.24 of relevant aerodromes.

5.1.3 Aerodrome obstacle chart type A

See section AD 2.24 of relevant aerodromes.

5.1.4 Aircraft parking/docking chart

See section AD 2.24 of relevant aerodromes.

5.1.5 Area chart

See section AD 2.24 or AD 3.23 of relevant aerodromes/heliports.

5.1.6 ATC surveillance minimum altitude chart

See section AD 2.24 or AD 3.23 of relevant aerodromes/heliports.

5.1.7 Instrument approach chart

See section AD 2.24 or AD 3.23 of relevant aerodromes/heliports.

5.1.8 Precision approach terrain chart

See section AD 2.24 of relevant aerodromes.

5.1.9 Standard arrival chart - instrument

See section AD 2.24 or AD 3.23 of relevant aerodromes/heliports.

5.1.10 Standard departure chart - instrument

See section AD 2.24 or AD 3.23 of relevant aerodromes/heliports.

5.1.11 Visual approach chart


See section AD 2.24 or AD 3.23 of relevant aerodromes/heliports.

5.1.12 En-route charts

See ENR 6.

5.2 Other charts**5.2.1 Aeronautical chart - ICAO 1:500 000**

Available in print (see also paragraph 3) and online via <https://www.lvnl.nl/aip>.

6 INDEX TO ADJOINING SHEETS OF THE AERONAUTICAL CHART - ICAO 1:500 000**7 TOPOGRAPHICAL CHARTS**

Topographical charts and information are available from:

Post: Kadaster
Klantcontactcenter
P.O. Box 9046
7300 GH Apeldoorn
The Netherlands
Tel: +31 (0)88 183 2200
Fax: +31 (0)88 183 2050
URL: <https://www.kadaster.nl>
Email: kcc@kadaster.nl

8 CORRECTIONS TO CHARTS NOT CONTAINED IN THE AIP

Aeronautical information on the Aeronautical Chart ICAO 1:500.000 outside the Amsterdam FIR is published under reservation. For latest information on the adjacent FIRs consult appropriate AIPs and NOTAM.

←

Chart	Location	Corrections
Aeronautical chart ICAO 1:500 000 Edition 2025 (20 MAR 2025)	520358N 0042020E	Add obstacle, ELEV 512 FT AMSL, lighted.
	532027N 0035337E	Add heliport K12-B.
	533303N 0034646E	Add heliport K9-AB-B.
	513401N 0045557E	Move symbol modelfyingSITE to position 513428N 0045434E.
	514100N 0053258E	Add symbol hanglidersite (S25)
	APRX 522026N 0052050E	Extend obstacle (line) northwards until position 522243N 0051823E, 17 windturbines ELEV 705 FT AMSL, lighted.
	522122N 0052024E	Remove obstacle ELEV 381 FT AMSL.
	BTN PSN 514153N 0043910E - 514118N 0043933E	Add 3 windturbine (line), ELEV 682 FT AMSL, lighted.
	APRX 5225N 00520E	TMZ Schiphol Area, add border along west side of Lelystad CTR 1 (Lelystad CTR 1 is excluded from TMZ).